

Dealer / Contact


Date

Email / Phone



- Quote Only
- Dealer PO

SUNROOM and SKYWALLS


opening at wall



outside curb dimensions



Number of Bays on Projection



Number of Bays on Face



Minimum 2/12 pitch required for all glass & flat-glazed skylites.

Opening of Wall

inches

A
B
C
D
E
F

Curb Footing

inches

G
H
I
J
K
L

Other Dimensions


inches

M
N
O
Roof Pitch
inches


_____ " 12"
 _____ "

Installation Situation

Standard




Corner w/ Roof Line




Use Page 1 for these Installations

Use Page 2 for these Installations

Corner



Skywall



Vertical Glazing Type

- Residential Commercial
- Laminated or Polycarb. Glazing Required*

Overhead Glazing Type

- Residential Commercial
- Laminated or Polycarb. Glazing Required*

Dealer / Contact


Date

Email / Phone




- Quote Only
- Dealer PO

SUNROOM and SKYWALLS

opening at wall



outside curb dimensions




Minimum 2/12 pitch required for all glass & flat-glazed skylites.


Opening of Wall	
inches	
A	
B	
C	
D	
E	
F	
Curb Footing	
inches	
G	
H	
I	
J	
K	
L	
Other Dimensions	
inches	
M	
N	
O	
Roof Pitch	
inches	
_____" $\frac{12}{}$ "	

Installation Situation

Standard




Corner w/ Roof Line




Use Page 1 for these Installations

Use Page 2 for these Installations

Corner



Skywall



Vertical Glazing Type

- Residential Commercial
- Laminated or Polycarb. Glazing Required*


Overhead Glazing Type

- Residential Commercial
- Laminated or Polycarb. Glazing Required*


ADDITIONAL INFORMATION

Use this space to sketch out and list the dimensions of any information not mentioned on the previous page. This could include such items as glaze-in-openers, windows, doors, obstructions, etc...

Window Options



Door Options



Specific Curb Make-Up

Use this space to sketch out and list the dimensions of the curb and any finishing associated with the curb.

Specific Wall Surface Make-Up

Use this space to sketch out and list the dimensions of the existing structure the sunroom or skywall will fasten to.

Specific Notations

Use this space to list critical items we should be aware of, such as: loading requirements, height restrictions, fall protection, and any other local requirements.

- Engineering Calculations Required

Opening Skylite Accessories

- Pre-Wire Frame
- Manual Opener
 - Truth Chain Drive
 - Hand Angle Drive
 - White
 - Bronze
 - Pole Straight Drive
 - Pole
 - 3'- 5'
 - 6'-10'
- Solar Smart - Electric Opener
Battery Powered, Solar Charged - No Wiring Required